# Chapter-6

Maintain



## Contents

#### **Chapter 6 Maintain**

Chapter 6 Maintain	3
6.1 Software Upgrading	3
6.2 Configuration Operation	3
6.2.1 Configuration Update	3
6.2.2 Configuration Save	4
6.3 Device Reboot	4
6.5 Logo Replace	4

#### **Chapter 6 Maintain**

#### 6.1 Software Upgrading

1.Click Maintain->Software Upgrading

2. This page upgrades the Switch version. You can choose to upgrade the boot and host files. After the upgrade, restart the Switch to take effect.

Alpha Br Technolo	idge gies	<u>ලි</u> ශ්ර Monitor Config	<i>P</i> Maintain		A Logout
B Software Upgrading	^	Software update			
器 Configuration Operation	~	Host Software Version	Switch V1.01.B09		
Device Reboot	~	Version Release Time	Tue Oct 31 17:01:39 CST 2023		
88 Logo Replace	*	Bootrom Version Please Select Bootrom File	V1.0 Choose File No file chosen	Restart after update success	
		Please Select Host File	Choose File No file chosen		
		Update			

Figure 6-1

#### 6.2 Configuration Operation

Configuration operations include upload, download and save configuration.

#### 6.2.1 Configuration Update

1. Click Maintain->Configuration Operation->Configuration Update

2. This page uploads the configuration file to the Switch and saves the configuration file from the device to the PC.

ð	Alpha Brid Technolog	lge ies	Monitor	<b>ිූා</b> Config	<b>B</b> Maintain
	Software Upgrading	~	Config File Up	date	
88	Configuration Operation	^	Select Config Fi	le	Choose File config.txt
	Configuration Update		Save Config File	2	Save Config File
	Configuration Save		Update		
	Device Reboot	~			
	Logo Replace	~			

Figure 6-2

#### 6.2.2 Configuration Save

1.Click Maintain->Configuration Operation->Configuration Save 2. This page saves the Switch configuration file to the flash.

Software Upgrading	~	Sure to save all settings?
Configuration Operatio	n ^	
Configuration Update		Click to start saving all settings to system FLASH All saved settings will still have effect after restart
Configuration Save		Save
B Device Reboot	~	
E Logo Replace	~	

Figure 6-3

## 6.3 Device Reboot

- 1.Click Maintain->Device Reboot
- 2. This page restarts the Switch.



Figure 6-4

# 6.5 Logo Replace

1.Maintain->Logo Replace

2. This page replaces the logo information of the WEB page. After uploading the new logo, restart the browser and clear the cache.

ð	Alpha Bri Technolog	dge gies	Monitor	<b>ූරා</b> Config	<i>J</i> Maintain		
	Software Upgrading	~	Logo File Replac	ce			
88	Configuration Operation	^	Select Logo File		Choose File LogoCDR.png		
	Configuration Update		File size less than 300 KB,resolution 255X60				
	Configuration Save		Ater file uploaed or deleted, need to close browser and login again to refresh logo file				
	Device Reboot	~	File Upload Delete File Uploaded				
88	Logo Replace	^					

Figure 6-5